

INDEX TO VOLUME XXXI¹

INDEX TO AUTHORS AND TITLES

- Bartsch, Alfred F.** Reclassification of *Chytridium spinulosum* with additional observations on its life history 558
- Bessey, Ernst Athearn.** A case of poisoning by *Lepiota Morgani* 109; Isoplanogametes in *Blastocladia* 308
- Blackwell, Elizabeth.** The problem of gamete production in *Blastocladia* 627
- Blanchard, Dorothy Lillian & Elrod, Ralph Perry.** Histological studies of the Boletaceae and related genera 674
- Burlingham, Gertrude Simmons.** Two new species of *Russula* together with the spore ornamentation of some of our American russulas 490
- Butler, Ellys Theodora.** Ascus dehiscence in *Lecanidion atratum* and its significance 612
- Campbell, William Andrew & Davidson, Ross Wallace.** *Poria Andersonii* and *Polyporus glomeratus*, two distinct heart-rotting fungi 161; Sterile conks of *Polyporus glomeratus* and associated cankers on beech and red maple 606
- Carr, Lloyd George.** A comparison of mycetozoa, fauna in sandstone and limestone regions of Augusta County, Virginia 157
- Cash, Edith Katherine.** Two species of Hysteriales on *Smilax* 289
- Charles, Vera Katharine.** A note on the occurrence of *Marasmius pyrinus* 228
- Coker, William Chambers.** A new *Scleroderma* from Bermuda 624
- Cooke, William Bridge & Sprague, Roderick.** Some fungi imperfecti from the Pacific northwest 43
- Cummins, George Baker.** New species of Uredinales 169
- Davidson, Ross Wallace & Campbell, William Andrew.** *Poria Andersonii* and *Polyporus glomeratus*, two distinct heart-rotting fungi 161; Sterile conks of *Polyporus glomeratus* and associated cankers on beech and red maple 606
- Dearness, John.** *Podaxis aegyptiaca* 504
- DeLamater, Edward Doane.** The squirrel as a new host to a ringworm fungus 519
- de Zeeuw, Richard.** Notes on the life of Persoon 369
- Dimock, Arthur Watson.** Studies on the ascospore variants of *Hypomyces Ipomoeae* 709
- Dodge, Bernard Ogilvie.** *Gnomonia ulmea* 503; The ascocarp and ascospore formation in *Stevensia Wrightii* 96
- Dowding, Eleanor Silver & Orr, Harold.** The dermatophyte *Microsporum lanosum* 76

¹ This index was prepared by G. M. Miller.

- Drayton, Frank Lisle & Groves, James Walton. The perfect stage of *Botrytis cinerea* 485
- Drechsler, Charles. A few new Zoopagaceae destructive to large soil rhizopods 128; Five new Zoopagaceae destructive to rhizopods and nematodes 388
- Elrod, Ralph Perry & Blanchard, Dorothy Lillian. Histological studies of the Boletaceae and related genera 674
- Goodding, Leslie Newton & Long, William Henry. Two new species of rust 670
- Graff, Paul Weidemeyer. North American polypores—II. *Polyporus biennis* and its varieties 466
- Groves, James Walton & Drayton, Frank Lisle. The perfect stage of *Botrytis cinerea* 485
- Hagelstein, Robert. Notes on the Mycetozoa—III 337
- Hanna, William Fielding. *Coprinus urticaecola* on stems of Marquis wheat 250
- Hilborn, Merle Tyson & Linder, David Hunt. The synonymy of *Fomes fomentarius* 418
- Howell, Jr., Arden. Studies in *Histoplasma capsulatum* and similar form species. I. Morphology and development 191
- Karling John Sidney. A note on *Phlyctidium* 286
- Kern, Frank Dunn. *Chardonella*—a new genus of the Uredinales 373
- Linder, David Hunt. Mycological Society of America—Summer foray 371
- & Hilborn, Merle Tyson. The synonymy of *Fomes fomentarius* 418
- Lohman, Marion Lee. Karsten's type specimens of Hysteriaceae on conifers 354
- Long, William Henry & Goodding, Leslie Newton. Two new species of rust 670
- Mains, Edwin Butterworth. *Bitzea*, a new genus in the Pucciniaceae 33; Mycological Society of America—Fungi collected at the foray, August 1938 728; Mycological Society of America—Report on the 1938 foray 233; The genera *Skierka* and *Ctenoderma* 175
- Martin, George Willard. New or noteworthy fungi from Panama and Colombia, III 239; IV 507
- McGuire, J. M. The morphology of *Physalacria inflata* 433
- Mix, Arthur Jackson. Mycelial habit in some species of *Taphrina* 445
- Murrill, William Alphonso. Three new Boletes 110
- Orr, Harold & Dowding, Eleanor Silver. The dermatophyte *Microsporum lanosum*
- Overholts, Lee Oras. *Cantharellus multiplex* again 231; Geographical distribution of some American Polyporaceae 629; Mycological Society of America—Fungi collected at the foray, August 1938 728
- Pady, Stuart McGregor. Host invasion in systemic infections of *Uromyces Caladii* 590; Observations on the rate of growth of ascocarps of *Peziza domiciliana* 53
- Pomerleau, Rene. Mycological Society of America—Fungi collected at the foray, August 1938 728

- Raper, Kenneth Bryan & Thom, Charles.** The *Aspergillus nidulans* group 653
- Ray, William Winfield.** Contribution to knowledge of the genus *Taphrina* in North America 56
- Rogers, Donald Philip.** The genus *Hypochnus* and Fries's observations 297
- Routien, John B.** Observations on *Gasterella lutophila* 416
- Seaver, Fred Jay.** Flora Agaricina Danica 502; Flora Italica Cryptogama 109; Fungi of India 366; Latin diagnoses 234; Lichens of the Antarctic 502; Michigan mushrooms 503; Mycologia Endowment Fund 235; New species of *Taphrina* 502; Photographs and descriptions of cup-fungi—XXXI. *Mollisiella* 93; XXXII. *Podophacidium* 350; XXXIII. A new *Boudiera* 499; XXXIV. A new *Humarina* 533; Poisoning with *Clitocybe illudens* 110; The *Bulgaria* question 505; The fungi of Manitoba and Saskatchewan 366; The genus *Septobasidium* 368; *Urnula Geaster* 367
- Shear, Cornelius Lott.** Mycological notes. III 322
- Smith, Alexander Hanchett.** Studies in the genus *Mycena*. V 267; Studies in the purple-brown spored agarics 544; The genus *Mycena* 366
- Sparrow, Jr., Frederick Kroeber.** A new species of *Lagenidium* parasitic on rotifer eggs 527; A remarkable soil fungus from Trinidad 737; The entomogenous chytrid *Myrophagus Thaxter* 439
- Sprague, Roderick & Cooke, William Bridge.** Some fungi imperfecti from the Pacific northwest 43
- Stevenson, John Albert.** Studies on the Agaricaceae of Hokkaido 505
- Tehon, Leo Roy.** New species and taxonomic changes in the Hypodermataceae 674; Two new fungi on legumes 537
- Thom, Charles & Raper, Kenneth Bryan.** The *Aspergillus nidulans* group 653
- Thompson, George Edward.** A canker disease of poplars caused a new species of *Neofabrca* 455
- Tiffney, Wesley Newell.** The host range of *Saprolegnia parasitica* 310
- Vanterpool, Thomas Clifford.** Homothallism in *Pythium* 124
- Voorhees, Richard Kenneth.** The validity and morphology of two *Trybliella* species 113
- West, Erdman.** Notes on Florida fungi 423
- Wolf, Frederick Adolph.** Leafspot of ash and *Phyllosticta viridis* 258
- & **Wolf, Fred Taylor.** A study of *Botryosphaeria Ribis* on willow 217
- Wolf, Fred Taylor.** A study of some aquatic Phycomycetes isolated from Mexican soil 376; Sawada's discovery of *Achlya flagellata* as a parasite of fish 236
- & **Wolf, Frederick Adolph.** A study of *Botryosphaeria Ribis* on willow 217
- Yarwood, Cecil Edmund.** An overwintering pycnidial stage of *Cicinobolus* 420
- Yeager, Charles Casper.** *Empusa* infections of the house-fly in relation to moisture conditions of northern Idaho 154

Zeller, Sanford Myron. New and noteworthy Gasteromycetes 1
Zundel, George Lorenzo Ingram. Studies on the Ustilaginales of the world 572

INDEX TO GENERA AND SPECIES

New names and the final members of new combinations are in **bold face type**. Mistakes in the spelling of scientific names encountered in text are corrected in the index.

- Abortiporus 466, 478; distortus 476; tropicalis 481
 Acaulopage cercospora 147; **marantica** 143, 144, 146, **148**, 152; rhicnospora 147
 Achlya 314, 320, 529; conspicua 383, 386; flagellata 236, 237; Nowickii 311; prolifera 236, 311, 321
 Achorion Schoenleinii 84
 Ackermannia 239; Dussii 239
 Acrosporum cuneolum 730
 Acidium 426; Toddaliae 188
 Agyrium rufum 732
 Aleuria xanthomela 352
 Aleurodiscus 15, 299, 736; acerinus 732; acerinus alliaceus 732; amorphus 695, 732; canadensis 732; Farlowii 732; griseo-canus 732; Oakesii 695; penicillatus 732
 Allescheriella 329
 Allomyces 309, 377-383, 385-387, 628; anomala 380, 381, 383, 386; arbuscula 309, 378, 380, 381, 383, 386, 387; javanicus 309, 378, 387; Kniepii 628; moniliformis 378, 380-383, 385, 386
 Amanita brunnescens 734; flavoconia 734; Frostiana 734; muscaria 734; phalloides 734; rubescens 734; verna 734
 Amanitopsis strangulata 734; vaginata fulva 734; vaginata livida 734
 Ampelomyces quisqualis 420
 Apodachlya 384; pyrifera 384, 386
 Apostemidium Guernisaci 730
 Arcangeliiella 14, 15; alveolata 15, 17; asterosperma 14; Gardneri 17; pilosa 15
 Arcyria carnea 728; cinerea 157, 728; denudata 157, 728; digitata 157; ferruginea 340, 728; incarnata 728; insignis 728; nutans 157, 159, 728; occidentalis 728; Oerstedtii 728; pomiformis 728; stipata 728
 Armillaria mellea 734
 Ascobolus 736; carbonarius 730; immersus 730; viridulus 423, 730
 Ascocalyx Abietis 730
 Ascomyces Alni 59; Tosquetii 57; Tosquetii strobilina 59, 74
 Ascomycetella 103
 Ascophanus carneus 730; lacteus 730
 Ascospora Beijerinckii 619, 623; Ruborum 619
 Ascotremella faginea 730
 Aspergillus 211, 653, 665, 669; flavus 225; fumigatus 669; glaucus 653, 667; nidulans 653-659, 661, 663, 666-669; nidulans albus 655, 657, 669; nidulans **latus** 655, **657-659**, 668; **niger** 653; **quadrilineatus** 655, **658-661**, 668; **rugulosus** 656, **658-661**, 663, 668; stellatus 663, 666; terreus 669; unguis 656, 658, 659, 667, 668; varicolor 655, 658, 659, 661, 663-665, 668
 Asterocystis 286-288
 Asterocytis 286, 287
 Asterodon ferruginosum 733
 Astrocystis 286, 287
 Atractobasidium 510, 511
 Atylospora 557
 Auricularia 246; Auricula-Judae 732
 Bacidia Schweinitzii 736; suffusa 736
 Bactridiopsis 329; Ulei 329
 Badhamia 158, 347, 349; affinis 728; lilacina 158, 728; magna 728; orbiculata 158, 728; ovispora 341; rubiginosa 728
 Bagnisiella 334; Diantherae 334-336; eutypoides 334, 336
 Bdellospora 393
 Belonidium basitrichum 730
 Bertia moriformis 731
 Bifusella 679; **Vaccinii** **678**, 679
 Bitzea 38, 179; **Ingae** 38, 41

- Blastocladia 308, 309, 381; globosa 308; Pringsheimii 308, 386, 627, 628
 Blepharospora cambivora 126
Blyttimyces 558, 559, 564, 570; **spinulosus** 559-561, 563, 569
 Bolbitius 502
 Boletinellus 700; castanellus 700; merulioides 700; paluster 700; porosus 700; rhodoxanthus 700; squarrosoides 700
 Boletinus 699, 700, 705-708; appendiculatus 700; castanellus 699-701, 708; cavipes 699-701, 708; glandulosus 699-701, 708; grisellus 700; paluster 699, 700; pictus 699, 700, 733; porosus 699-701, 703, 708; spectabilis 699, 700; squarrosoides 699, 700
 Boletus 8, 196, 466, 693, 694, 700, 702-707; albidus 470; alboater 702, 703; alutaceus 702; americanus 703, 733; aurantiacus 702; auripes 702; badius 733; Betula 701, 702, 704, 708; biennis 468, 470, 472, 474; castaneus 702-704, 733; chromapes 733; chrysenteroides 700; chrysenteron 700, 733; cyanescens 702-704, 733; distortus 476-478; eccentricus 702; edulis 733; erythropus 702; felleus 702, 733; felleus plumbeoviolaceus 703; felleus rubrobrunneus 703; **flavimarginatus** 112; fomentarius 419; fomentarius pomaceus 419; fomentarius prunastri 419; fomentarius unguatus 419; Frostii 702; fumosipes 703; gracilis 702, 733; granulatus 733; griseus 702; hirtellus 702; igniarius 419; illudens 702; impolitus 703; indecisus 702, 705, 733; leucophaeus 702; luridus 702; miniato-olivaceus 702; modestus 702; nivens 702, 733; pallidus 700; Peckii 702; piperatus 702-704, 733; **pisciodorus** 112; placidus 703; 733; porphyrosporus 702; Ravenelii 702; roseotinctus 702, 703; rubeus 702; rubinellus 733; rugosiceps 702; rugosus 470, 471; Russellii 701, 702, 704, 708; scaber 702, 705, 707, 733; subaureus 702; subdecorus 702; subglabripes 702, 733; **subsensibilis** 112; subtomentosus 700, 702, 734; unguatus 419; unguatus quercina 419; unguatus salicina 419; unicolor 466; variipes 702, 703; vermiculosus 702; versipellis 702, 704, 734; viscidus 734
 Bombardia 736; arachnoidea 731; coprophila 731; lunata 723, 727
 Bonia 247; papyrina 247
 Botryobasidium 298-300
 Botryosphaeria 220, 227, 331, 332, 623; Gleditschiae 330, 331; melanops 220; Ribis 217-221, 223, 225-227
 Botrytis 485; cinerea 226, 227, 485, 487, 488; convoluta 489; polyblastis 485, 489
 Boudiera 499; areolata 499; echinulata 501; **Walkeriae** 500, 501
 Bourdotia 514
 Brachyallomyces 379, 381, 383
 Bremia Lactucae 729
 Brevilegnia 376; declina 384-387; subclavata 384-386
 Bulgaria 506; globosa 506; inquinans 506
 Bulliardella 363, 365
 Byssosphaeria conferta 322
 Caeoma nitens 601, 602
 Caldesiella 305, 306
 Calocera cornea 732
 Calonema aureum 341
Calvarula 23, 26, 30; **excavata** 23, 25, 31, 32
 Calycina macrospora 730
 Calyptospora Geoppertiana 590, 732
 Cantharellus aurantiacus 734; cibarius 734; clavatus 231, 734; floccosus 734; infundibuliformis 734; multiplex 231; umbonatus 734
 Catinella nigro-olivacea 730
Catosphaeropsis 540, 542; **caulivora** 539, 542, 543
 Cauloglossum transversarium 29
 Cenangium furfuraceum 730; Ravenelii 93, 95, 119, 120
 Ceratiomyxa fruticulosa 728
 Ceratobasidium 513; **plumbeum** 512, 513, 518
 Ceriomyces **flavimarginatus** 110, 112; **subsensibilis** 111, 112
 Chaconia 178
 Chaetosphaeria fusca 324
Chardonella 375; **Gynoxidis** 375
 Chlamydomyces 212; palmarum 196, 204, 208, 209, 214
 Chlorociboria aeruginosa 730; versiformis 730
 Chlorosplenium aeruginascens 730
 Chrysocelis 37, 179; Lupini 37
 Chrysomyxa Cassandrae 732; Pyrolae 732

- Chrysopsora* 373; *Gynoxidis* 373
Chytridium 286, 287, 558, 559, 564, 567, 570; *lagenaria* 564, 568, 571; *spinulosum* 558, 559
Cicinnobolus 420-422; *Cesatii* 420-422
Cienkowskia reticulata 729
Cintractia 580; *amazonica* 589; *Caricis* 577, 586; *columellifera* 580, 583; *externa* 732; *leucoderma* 578; ***nova-guineae* 589**; *utriculicola* 578
Cionothrix 375
Cladonia Floerkeana 736; *gracilis* 736
Clathrella 26
Clathrus columnatus 25
Clavaria apiculata 733; *appalachensis* 733; *contorta* 733; *cristata* 733; *crocea* 733; *flava* 733; *formosa* 733; *fusiformis* 733; *helveola* 733; *Kunzei* 733; *ligula* 733; *longicaulis* 733; *mucida* 733; *muscoides* 733; *ornatipes* 733; *pistillaris* 733; *pulchra* 733; *stricta* 733
Claviceps microcephala 731
Cleistotheca 103
Clithris 675, 682, 692; *Andromedae* 677; ***Camelliae* 675, 692**; ***leucothoicola* 676, 692**; ***Rosae* 677, 692**
Clitocybe albissima 734; *catina* 734; *clavipes* 734; *decora* 734; *ectypoides* 734; *illudens* 110; *infundibuliformis* 734; *laccata* 734; *ochropurpurea* 734; *odora* 734
Clitopilus novaboracensis 734; *orcillus* 734; *prunulus* 734
Coccidioides 193; *immitis* 524
Coccomyces coronatus 732
Coccospora 328, 329; *aurantiaca* 329
Cochlonema 131, 393, 401, 402; ***bactrosporium* 138, 140, 142, 151, 152**; *cylindricum* 137, 139, 398, 399, 401; ***fusisporum* 402, 403, 405, 414**; ***megalosomum* 128, 130, 133, 134-137, 143, 148, 150, 151**; *megaspirema* 131, 132, 143; *odontosperma* 134; ***pumilum* 398, 400, 401, 413**
Coleosporium Solidaginis 732
Collybia 367; *abundans* 734; *acervata* 734; *butyracea* 734; *cirrhatra* 734; *colorea* 734; *confluens* 735; *dryophila* 735; *familia* 735; *myriadophylla* 367; *platyphylla* 735; *radicata* 735; *radicata furfuracea* 735; *succosa* 735; *tuberosa* 735
Colonnaria 26
Comatricha aequalis 337, 729; *nigra* 729; *pulchella* 341, 729; *rubens* 337, 729; *tenerrima* 341, 729; *typhoides* 157, 729; *typhoides similis* 729
Coniochaeta discospora 731; *Hansenii* 731; *leucoplaca* 731; *scatigena* 731
Coniophora 297, 298, 300, 306; *cerebella* 732; *olivacea* 300
Coniophorella 298-300, 306
Cookeina 534
Cookella 97, 102, 103
Coprinus 250, 251, 502, 555; *Brassicae* 251, 256; *comatus* 109; *Friesii* 251; *micaceus* 735; *phaeosporus* 251, 256; *plicatilis* 257; *tigrinellus* 251; *urticaecola* 250-257
Cordyceps 103, 104; *agariciformia* 107; *capitata* 731; *clavulata* 731; *militaris* 731; *ophioglossoides* 731
Coremium Borzianum 665
Corticium 297-299, 306, 510, 736; *anceps* 732; *bombycinum* 300, 732; *centrifugum* 732; *confinis* 732; *confluens* 732; *coronatum* 732; *coronilla* 732; *crustaceum* 732; *deflectens* 732; *flavescens* 732; *galactinum* 732; *hydrians* 732; *investiens* 732; *laeve* 732; *microsporium* 732; *porosum* 732; *roseo-cremeum* 732; *roseum* 732; *sphaerosporum* 733; *stellulatum* 733; *subcoronatum* 733; *subpallidulum* 733; *vagum* 733
Cortinarius albobolaceus 735; *anomalus* 735; *armillatus* 735; *cinnabarinus* 735; *cinnamomeus* 735; *distans* 735; *mammosus* 735; *sanguineus* 735; *semisan-guineus* 735; *violaceus* 735
Coryne sarcoides 730
Coryneum Ruborum 623
Craterellus 233; *clavatus* 733; *cornucopioides* 514; *cristatus* 733; *lutescens* 733; *taxophilus* 733
Craterium 158; *aureum* 729; *leucocephalum* 729; *leucocephalum rufum* 341; *minutum* 159, 729
Crepidotus 502; *fulvotomentosus* 735; *malachius* 735
Cribraria elegans 341; *intricata* 729; *laxa* 342; *macrocarpa* 729; *purpurea* 729; *rufa* 342; *vulgaris* 729

- Cristella* 298, 299
Cronartium 175, 179, 375; *ribicola* 604
Cryptococcus capsulatus 195
Cryptomyces Pteridis 732
Cryptospora suffusa 731
Cryptosporiopsis 456
Ctenoderma 175, 176, 178, 179, 183-186, 190; *cristatum* 175, 176, 182; *Diploglottidis* 175, 176, 184; *Petchii* 175, 177, 185; *Toddaliae* 185, 188-190
Cucurbitaria 332; *elongata* 332; *Gleditschiae* 330-332; *Laburni* 619, 623; *parasitica* 731; *recuperata*, 330, 331
Cudonia circinans 730; *lutea* 730
Cyathus striatus 736
Cylindrosporium acerinum 736; *saccharinum* 736
Cyphella albo-violacea 695; *arachnoidea* 733; *fasciculata* 733; *villosa* 695
Cystobasidium 508, 510; **sebaceum** 507, 509, 518
Cystogenes 378, 379, 382, 383
Cytidia salicina 695, 733
Cytisus Laburnum 623
Cytospora 220

Dacryomyces aurantius 732; *Elisii* 732; *palmatus* 732
Dactylella 411; *passalopaga* 399; *tylogapa* 129
Daedalea 467, 469, 470, 472, 474, 478, 630; *abortiva* 476; *alba* 470, 471; *albida* 468-470; *ambigua* 636, 638, 640; *biennis* 468, 470, 472, 478; *biennis Sowerbei* 474; *bonariensis* 468, 471; *confragosa* 734; *distorta* 476; *pampeana* 468, 471; *quercina* 478, 633; *rufescens* 469, 472, 474, 475; *unicolor* 734
Daldinia concentrica 731; *vernica* 731
Darluca Filum 736
Dasyscypha Agassizii 730; *arida* 730; *nivea* 730
Deconica 557
Delitschia 620; *bisporula* 731; *didyma* 731; *Marchalii* 731; *timagamensis* 731
Dendrocladium 515
Dendrogaster 6, 11; *connectens* 11-13; **olivaceus** 12, 13, 31
Dermascia rubicola 690
Dermatea 736; *acerina* 730; *Ariae* 730; *balsamea* 730; *Cerasi* 730; *molliuscula* 730; *Peckiana* 730
Diachea 158; *bulbillosa* 159; *leu-*
copoda 159, 729; *splendens* 159; *subsessilis* 337, 729; *Thomasii* 342
Dialonectria sanguinea 731
*Diaporthe impuls*a 731; *tessera* 731
Diatrype Stigma 731; *virescens* 731
Dibotryon morbosum 731
Dichaena strobilina 358
Dictydiaethalium plumbeum 729
Dictydium cancellatum 729
Diderma 158; *effusum* 158, 729; *floriforme* 158; *globosum* 729; *hemisphaericum* 729; *ochraceum* 342, 343, 729; *radiatum* 158; *Sauteri* 343, 729; *spumarioides* 729; *testaceum* 158, 159, 729; *Trevelyani* 159
Didymium 158; *anellus* 729; *Clavus* 729; *complanatum* 423; *difforme comatum* 343, 729; *eximium* 729; *melanospermum* 729; *nigripes* 729; *nigripes xanthopus* 157, 158; *ochroideum* 343; *squamulosum* 729
Dimerosporium pulchrum 732
Diplodia 118, 122; *Mori* 118; *natalensis* 118-120
Dipodascus albidus 225
Discosia artocreas 736
Dothidea melanops 220
Dothideovalsa 334, 335; *Diantherae* 335, 336; *tucumanensis* 335, 336; **Turnerae** 335, 336
Dothiora Sorbi 731
Dothiorella 218, 224-227
Dryophilum 333; *pezizoideum* 333; *umbonatum* 333
Durandiella 736; *Nemopanthis* 730

Elaphomyces muricatus 732; *variegatus* 732
Elasmomyces 15; *russuloides* 15, 17
Elfvigia fomentaria 419
Elytroderma 682
Emericella 665-667, 669; *medias* 663; *varicolor* 663, 665, 666, 669
Empusa 154-156; *Muscae* 154-156
Endochytrium 570
Endocochlus 147, 393; *gigas* 131, 143
Endogone 239; *pisiformis* 729
Endomyces 192; *capsulatus* 192, 216; *Magnusii* 225
Enerthenema papillatum 729
Entoloma cuspidatum 735; *salmonium* 735; *sericellum* 735; *speculum* 735; *strictius* 735

- Entophlyctis 564, 571
 Entyloma australe 578; *Oryzae* 577
 Eoagaricus inflatus 433
 Epheliopsis 335; *Turnerae* 334, 336
 Ephelis 334
 Epidermella 690; communis 688; **Hansbroughi** 688
 Epithele 514; *Dussii* 514
 Erysiphe 421; *Cichoracearum* 420, 421; *Galeopsidis* 731; *Polygoni* 420, 421
 Euallomyces 378, 379, 381, 383
 Eurotium 653; herbariorum 225
Euryancale 410; **sacciospora** 406, 408, 410, 415
 Eutrybliella 113
 Eutypa 334, 335; *Diantherae* 334, 336; *tucumanensis* 335; *Turnerae* 334-336
 Eutypella 334; *radulans* 334; *Sorbi* 731
 Exidia 246; *glandulosa* 732; *recisa* 732
 Exoascus 56, 445; *Alni-incanae* 61; *Alni strobilinus* 59; *alnitoreus* *Alni-incanae* 59; *amentorum* 57, 59, 61; *confusus* 69; *decipiens* 71, 72; *Farlowii* 67, 71; *unilateralis* 68, 69, 74; *varius* 67
 Exobasidium 299; *Vaccinii* 732
 Farysia olivacea 577
 Favolus canadensis 734
 Femsjonia luteo-alba 732
 Fenestella vestita 731
 Fistulina 694; *hepatica* 694, 695, 706, 707
 Flammula 502; *fusa* 735; *geminella* 735; *sapinea* 735; *spumosa* 735
 Fomes 168, 418, 419, 630; *annosus* 734; *applanatus* 734; *conchatus* 641, 652, 734; *connatus* 734; *dependens* 642; *Ellisianus* 642; *Everhartii* 168, 606, 641, 652; *fomentarius* 418, 734; *fraxineus* 642; *fraxinophilus* 640, 642, 651; *fulvus* 643; *igniarius* 734; *igniarius laevigatus* 734; *introstrepens* 419; *marmoratus* 419; *ni-grescens* 419; *Pini* 638, 642, 652, 734; *Pini Abietis* 734; *pinicola* 734; *praerimosus* 642; *sclerodermeus* 419; *subfomentarius* 419; *subroseus* 734
 Fuligo 158; *muscorum* 337, 729; *septica* 158; *septica candida* 729; *septica rufa* 729
 Fusarium 411
 Galera 502; *hypnorum* 735
 Gasterella 416; *lutophila* 416, 417
 Gastrosporium 17; *simplex* 17, 32
 Gautieria 17
 Gelasinospora 103, 104, 736; *tetrasperma* 107, 731
 Gelatinosporium abietinum 736; *fulvum* 736
Gelopellis 20, 22, 29; **macrospora** 21, 22, 31, 32; **Thaxteri** 22, 32
 Geoglossum 207, 211, 214; *alveolatum* 730; *Farlowii* 196; *glabrum* 730; *nigritum* 730
 Geolegnia 376
 Gloeocystidium furfuraceum 733
 Gloeoglossum difforme 738; *glutinosum* 730
 Gloeosporium 46; *lunatum* 96; *malicorticis* 456; *Senecionis* 46; *Senecionis-cordati* 46
 Glomerularia Corni 736
 Gloniella 359; *ambigua* 354-357, 365
 Gloniopsis 289-293, 679; **Ellisii** 293-395, *Smilacis* 289, 292, 294
 Glonium 356; *graphicum* 358, 359; *strobilarium* 356, 357, 365
 Gnomoniella ulmea 503
 Gnomoniella Coryli 731
 Godronia Urceolus confertus 730
 Godroniopsis Nemopanthis 730
 Gomphidius 557, 708; *glutinosus* 695, 696; *maculatus* 695-697, 706-708; *viscidus* 695, 696
 Grandinioides 247; *flavum* 247
 Graphis scripta 736
 Graphium giganteum 736
 Guepinia Peziza 732
 Gymnoconia interstitialis 590
 Gymnosporangium 673; *transformans* 425; **Vauquelinae** 670, 671, 672
 Gyrodon 693, 700, 708
 Gyroporus 705; **pisciodorus** 111, 112
 Hamaspora 177
 Hapalopilus 483
 Haploravenelia 35; *Ingae* 41
 Harposporium 406
 Helicobasidium 736
 Helicogloea 508
 Helicoma Mülleri 736
 Helotium citrinum 730; *epiphyllum* 730; *fastidiosum* 730; *herbarum* 730; *immutabile* 730; *phyllophyllum* 730; *Scutula* 730
 Helvella crispa 730; *elastica* 730; *Mitra* 730
 Hemitrichia abietina 337, 729; *clavata* 729; *serpula* 159, 729; *vesparium* 158, 729

- Heterochaete 247, 511
 Heterochaetella dubia 732
 Heteropatella 48, 50; **alpina** 48, 52; Bonordenii 48; umbilicata 48
 Histoplasma 192, 193, 195, 203, 205, 206, 209, 211, 212; capsulatum 192-198, 205, 213-215; pyriforme 193, 195, 196
 Hormomyces fragiformis 732
 Humaria xanthomela 352
 Humarina **Waterstonii** 533, 535
 Humicola 298
 Hyalopora aspidiotus 590, 605
 Hydnangium **ellipsosporum** 13, 31; laeve 14; **setigerum** 14, 15, 31
 Hydnum 247, 466; albo-nigrum 733; brunneoleucum 247, 248; cyaneotinctum 733; ferrugineum 733; flavum 247; graveolens 733; imbricatum 733; laciniatum 733; ochraceum 733; repandum 733; scrobiculatum 733; sublamellosum 466; vellereum 733; zonatum 733
 Hygrophorus Cantharellus 735; ceraceus 735; conicus 735; cuspidatus 735; marginatus 735; miniatus 735; nitidus 735; pallidus 735; Peckii 735; pratensis 735; psitticinus 735; puniceus 735; unquinosus 735
 Hymenochaete 15, 299; agglutinans 733; arida 733; corrugata 733; rubiginosa 733; tabacina 733
 Hymenogaster olivaceus 13
 Hypholoma 502, 547, 551, 557; aggregatum 547; comatum 547; confertissimum 544, 545, 547, 551, 554, 557; hydrophilum 546; sublateritium 735
 Hypnochnus 297-302, 305, 306; aureus 298; bisporus 299; coerules 298; ferrugineus 298; fumosus 298, 300, 733; helvolus 298; isabellinus 298, 733; longisporus 300; olivaceus 298-300; peniophoroides 302; serenus 298; serus 300-302; Solani 300; Tulasnellodeus 302; umbrinus 733
 Hypocrea aurantiaca 731; citrina 731; patella 731; pulvinata 731; rufa 731
 Hypocrepopsis lichenoides 731
 Hypoderma 291-293, 358, 675, 680, 682, 683; **Apocyni** 679, 692; **Caryae** 680, 692; commune 680, 684, 685; deformans 682; Equi-
 seti 683; Ericae 683; **Eupatorii** 683; **longissima** 684; **pacificensis** 685; Rubi 683; rufilabrum 686, 692, 732; Smilacis 289, 291-294; variegatum 677; virgultorum 690
 Hypodermella 682; Abietis-concoloris 690; Laricis 682; punctata 690
 Hypodermopsis 289-293; Sequoiae 293; **Smilacis** 293-295
 Hypomyces 207; apiculatus 731; chrysospermus 206, 731; Geoglossi 209, 212; hyalinus 731; Ipomoeae 709, 725, 726; Lactifluorum 731
 Hypoxylon caries 731; cohaerens 731; deustum 731; fuscum 731; multifforme 731; rubiginosum 731; serpens 731
 Hysterangium 6, 8, 17, 19-21, 29, 30; affine **oreades** 18; album 29; clathroides 19, 20; clathroides crassum 20; **Darkeri** 17-19, 32; neglectum 29; neocaledonicum 29; occidentale 29; Phillipsii 18-20; stoloniferum americanum 19; Thaxteri 22
 Hysterium 95, 290, 296, 354, 356; ambiguum 356; cladophyllum 679, 692; conigenum 356, 357, 365; conjungens 357, 358, 365; curtum 357, 359, 365; dissimile 360, 361, 365; hyalinum 356, 365; **Karstenii** 356; rufilabrum 686, 687; Smilacis 289-294; sphaerioides 354; strobilarium 356, 358; Vaccinii 679, 692
 Hysterographium 292; conigenum 358; conjungens 358; Smilacis 289, 292
 Icmadophila ericetorum 736
 Inocybe geophylla 735; Hystrix 735; lacera 735; leptophylla 735
 Inonotus amplexens 431
 Inzengaea 665-667, 669; erythrospora 663, 665, 666
 Ixocomus 708
 Jola 243, 508; Hookeriarum 243, 245, 246; javensis 241, 243-246, 249; Lasioboli 508; orthosacca 510
 Kellermannia alpina 48
 Krombholzia 707
 Kuehneola malvicola 425
 Kusanoopsis guianensis 619
 Lachnellula hystericigena 93, 95

- Lachnocladium* 515; *giganteum* 512, 515, 516, 518
Lactariaria 502
Lactarius affinis 735; *camphoratus* 735; *chrysorheus* 735; *cilicioides* 735; *deceptivus* 735; *deliciosus* 735; *fuliginosus* 735; *Gerardii* 735; *glyciosmus* 735; *griseus* 735; *helvus* 735; *hygrophoroides* 735; *lignytus* 735; *luteolus* 735; *mu- cidus* 735; *pyrogalus* 735; *repre- sentaneus* 735; *rufus* 735; *scro- biculatus* 735; *subdulcis* 735; *theiogalus* 735; *terminosus* 735; *trivialis* 735; *turpis* 735; *uvidus* 735; *vellereus* 735; *volemus* 735
Lagena 530, 531; *oophila* 531; *radicicola* 530, 532
Lagenidium 530, 531; *americanum* 569; *Oedogonii* 529, 530; *oophi- lum* 531, 532; *Rabenhorstii* 530
Lamproderma arcyryonema 157, 729; *scintillans* 729; *violaceum* 729
Lamprospora Crec'hqueraultii 730
Lasiobolus equinus 508, 730
Lasiosphaeria hirsuta 731; *musci- cola* 731; *ovina* 731; *Sphagni* 731
Lecanidion 620, 621; *atratum* 612-616, 618, 620, 621
Lecanidium atrum 615
Lecidea granulosa 736; *peliaspis* 736; *vernalis* 736; *viridescens* 736
Lentinus cochleatus 735; *haema- topus* 735; *lepideus* 735; *ursinus* 735
Lenzites 630; *Berkeleyi* 638; *betu- lina* 643, 651, 734; *saepiaria* 637, 638, 734
Leocarpus 158; *fragilis* 158, 344, 729
Leotia chlorocephala 730; *lubrica* 730; *stipitata* 730
Lepidoderma tigrinum 343
Lepiota acerina 735; *acutae-squa- mosa* 735; *clypeolaria* 735; *cris- tata* 735; *fuscoscumacea* 735; *granosa* 735; *Morgani* 109, 110; *procera* 735
Leptonia asperella 735; *grisea* 735; *serrulata* 735
Leptosphaeria 107; *acuta* 619, 620, 623; *lycopodiicola* 731; *subco- nica* 731
Leptospora canescens 731
Licea flexuosa 344; *minema* 729; *tenera* 343
Linosporea 731
Lophiopsis 365
Lophiostoma 359; *triseptatum* 731
Lophiotricha viridicoma 731
Lophium decipiens 357, 359, 365; *laeviusculum* 354, 360, 363, 365; *mytilinum* 354, 363
Lophodermellina hysteroioides 676-678
Lophodermina Rhododendri 690
Lophodermium 674, 675, 677, 678, 692; *Airarum* 691; *Camelliae* 675; *Danthoniae* 690; *Rosae* 677; *Rubi* 690
Lycogala conicum 344; *epiden- drum* 729; *exiguum* 729; *flavo- fuscum* 729
Lycoperdon atropurpureum 736; *coloratum* 736; *gemmatum* 736; *Peckii* 736; *pedicellatum* 736; *pyriforme* 736; *umbrinum* 736
Macowanites 15
Macrophoma cylindrospora 47, 52
Macropodia macropus 730
Macrosporium 421; *rosarium* 51; *rosarium Piscariae* 51, 52; *sar- cinaeforme* 421, 422
Magnusiella 56
Marasmius 228, 230, 251, 257; *capillipes* 230; *foetidus* 735; *in- sititius* 251; *perforans* 735; *py- rinus* 228-230; *rotula* 735; *scoro- donius* 735; *siccus* 735
Marvalia 37; *Ingae* 36-40; *pallida* 37; *utriculata* 36-40
Margarita metallica 337, 729
Melachroia 350, 352; *terrestris* 352; *xanthomela* 350, 352, 353
Melampsora Abietis-capraearum 732; *Ribesii-purpureae* 732
Melamporella Cerastii 732; *ela- tina* 600
Melanogaster 1, 11; *ambiguus* 8, 32; *ambiguus eurypermus* 8; *aureus* 11; *Broomeianus* 32; *du- rissimus* 32; *eurypermus* 8, 32; *intermedius* 32; *luteus* 9, 32; *macrocarpus* 9, 31, 32; *micro- sporus* 9, 11; *mollis* 32; *Parksii* 11, 32; *rubescens* 32; *sarcomelas* 11; *tuberiformis* 32; *variegatus* 32
Melanomma 619; *pulvis-pyrinus* 731
Meliola 103; *clavispora* 510
Melogramma 331; *Gleditschiae* 330, 331
Merulius 736; *ceracellus* 734; *fu- gax* 734; *niveus* 734; *tremello- sus* 734
Metasphaeria Asparagi 619
Microglossum rufum 730
Micromyces 442

- Micropera Sorbi 736
 Microsporum 77, 78, 91; Audouini 76, 84, 90; equinum 83; fulvum 78, 79, 83, 85, 92; lanosum 76-90, 92; siniae 83
 Microthyrium 736
 Mitrula inflata 433; irregularis 730
 Mollisia 93; ilicincola 95; uda 730
 Mollisiella 93, 95; ilicincola 93-95
 Monascus Barkeri 225
 Monilia 727
 Monoblepharis 737; **Taylori** 737
 Mucilago 158; spongiosa 729
 Mucor 155; sylvaticus 729
 Mucronella aggregata 733
 Mucronoporus Andersoni 161, 162, 168
 Mycena 267, 268, 278, 280, 366, 367; acetes 277; atribrunnea 282; atroalboides 277, 278; brevipes 268; clava 273; constans 278; **corticalis** 268, 285; corticola 269-271, 285; denticulata 282, 283; dissiliens 275, 284; epiphloea 280; epipterygia 735; flavaolba 267; **fragillima** 269, 270, 272, 285; haematopoda 267, 735; Kauffmani 282, 283; Leaiana 735; leptoccephala 275; **madronicola** 269, 270, 285; metata 278, 285; mirata 280; **monticola** 270, 273, 285; murina 281; occidentalis 267; pelianthina 270, 283-285, 735; **piceicola** 270, 273-275, 278, 285; plicosa 275; plumbeibrunnea 277; polygramma 279; pseudopelianthina 282, 284; **pseudotenax** 270, 272, 275-277, 285; pura 279, 735; **pusilla** 270, 275, 277, 278, 285; quiniaultensis 267, 277; rosella 267, 273, 735; rutilantiformes 270, 282-285; sanguinolenta 270, 280, 285; sepia 278; stannea 277, 281; strobilinoidea 267; **subaquosa** 278, 279; **subcucullata** 270, 272, 279, 285; subplicosa 270, 278, 284, 285; **subsanguinolenta** 280, 285; **subvitrea** 270, 281, 285; tenax 267, 277, 281; **ulmicola** 270, 272, 281, 285; vitrea 269; vitreata 269
 Mycobonia 247; brunneoleuca 247; flava 241, 244, 247, 249
 Mycogone 211, 212; perniciosia 196, 208, 209, 211, 214
 Mycosphaerella 260, 263; colorata 731; fraxinicola 260-266; Opuntiae 96; rubina 619
 Mykoxyrinx Cissi 578
 Myrianginella Tapirae 619
 Myriangium 95, 623; Bambusae 619, 623; Duriaei 619; tuberculans 619
Myrophagus 443; ucrainicus 441, 443, 444
 Myrothecium inundatum 736
 Mytilidion 354, 363, 365; aciculum 361; californicum 361; decipiens 357, 361, 362, 365; fusisporum 354; Karstenii 354, 360, 363-365; laeviusculum 360, 362, 363, 365; parvulum 364; rhenanum 364; scolecosporum 364, 365; tortile 361
 Myxosporium 459, 464; corticolium 456
 Myzocytyum proliferum 529; vermicolum 527; zoophthorum 527, 529
 Naematelia nucleata 732
 Naemosphaeria **shastensis** 46, 52
 Naucoria 252, 502; centuncula 735; triscopoda 735
 Nectria cinnabarina 731; Cucurbitula 731; ditissima 731
 Neofabraea 456; corticola 456; malicorticis 456; **Populi** 458, 464
 Nephroma 620; tomentosum 620
 Neurospora 107, 712, 727; crassa 712, 723, 727; sitophila 712, 723, 724, 727; tetrasperma 106
 Nidula 518; emodensis 518
 Nidularia australis 518; Duriaeana 515; reticulata 512, 515, 516, 518
 Nitschkia 325; euomphala 324
 Nolanea conica 735; juncea 735; mammosa 735
 Nowakowskiella 570
 Nummularia discreta 731
 Nyctalis asterophora 735; parasitica 735
 Obelidium 558; mucronatum 564, 571
 Ochroporus fomentarius 419
 Odontia alutacea 733; aspera 733; bicolor 733; crustosa 733; fuscoatra 733; hydroides 733; pruinosa 733
 Oligonema nitens 518, 341, 729
 Olpidiaster 286
 Olpidiopsis 442, 443, 530; Schenkiana 442; ucrainica 439, 443
 Olpidium 442
 Ombrophila lilacina 730
 Omphalia 367, 478; campanella 735; epichysium 735; fibula 735
 Onygena 239; equina 732
 Oovorus copepodorum 529, 532

- Orbilia botulisporea* 730; *epipora* 730
Otidea grandis 730; *leporina* 730
Othia 331
Pachysterigma 299
Panaeolus 502; *campanulatus* 735
Panus patellaris 735; *salicinus* 735; *stypiticus* 735
Paracoccidioides 193, 195
Patella albida 730; *coprinaria* 730; *gregaria* 730; *ovilla* 730; *scutellata* 730
Patellaria 95, 612, 620; *atrata* 612, 615
Patouillardina 510, 513; *cinerea* 510, 512, 518
Paxillopsis 502; *atrotomentosus* 696
Paxillus 502, 696, 698, 707; *atrotomentosus* 696-698, 708, 735; *corrugatus* 696-698, 708; *involutus* 696-698, 708, 735; *panuoides* 696-698, 708
Paxina fusicarpa 730; *hispida* 730
Pedilospora dactylopagea 405, 411
Penicillium 155; *crustaceum* 225
Peniophora 297-301, 306; *affinis* 733; *argillacea* 733; *aurantiaca* 733; *byssosidea* 733; *carnosa* 733; *cinerea* 733; *gigantea* 733; *globulosa* 733; *laevigata* 733; *laevis* 733; *longisporea* 733; *miniata* 733; *nuda* 733; *pallidula* 733; *pubera* 733; *Sambuci* 300, 733; *sanguinea* 733; *sordidella* 733; *tenuis* 733; *viticola* 733
Perichaena chrysosperma 344, 729; *corticalis* 729; *depressa* 729; *vermicularis pedata* 344
Perisporiopsis 97, 102, 103; *Wrightii* 97
Perisporium 97-99, 102; *vulgare* 731; *Wrightii* 96-98
Peronospora 124, 126; *parasitica* 124, 126
Pestalotia 692
Pezicula 456; *acericola* 730; *carnosa* 730; *corticola* 456; *corylina* 730; *malicorticis* 456; *minuta* 730; *pruinosa* 730; *rosella* 730
Peziza 53, 247; *badia* 730; *brunneoatra* 730; *domiciliana* 53, 55; *hysterigena* 95; *ilicincola* 93, 95; *Ravenelii* 95; *rutilans* 106, 107; *xanthomela* 350, 352, 353; *zanthomela* 352
Pezizella Lythri 730
Phaeobulgaria 506
Phaeociboria 736
Phaeocryptopus nudus 731
Phaeoporus 702
Phakopsora 179
Phallobatia 18, 29; *albida* 20
Phallogaster 17, 18, 20, 30; *saccatus* 19, 20
Phillipsia 534; *Chardoniana* 424
Phlebia merismoides 733
Phlyctidium 286, 287
Phlyctochytrium 287, 571; *chaetiferum* 566
Pholiota 252; *caperata* 735; *confragosa* 735; *erinacea* 735; *flammans* 735; *squarrosoides* 735
Phoma Maianthemii 736
Phomatospora hyalina 731
Phragmidium speciosum 425
Phylloporus 693, 694, 700, 705, 707, 708; *rhodoxanthus* 693, 696-698, 706-708
Phyllosticta 258, 259, 266; *viridis* 258, 259, 263-265
Physalacria 433, 438; *inflata* 434-438, 733
Physalospora 122, 227, 331, 623; *malorum* 619; *obtusata* 333
Physarum 158, 349; *albescens* 344; *aureum* 347, 729; *auriscalpium* 729; *bitectum* 347; *bogoriense* 337, 729; *cinereum* 347, 729; *citrinellum* 344, 729; *citrinum* 345; *columbinum* 158; *confertum* 729; *conglomeratum* 345, 729; *contextum* 159, 345, 729; *contextum Mortoni* 345, 729; *Diderma* 347; *didermoides* 347; *flavicomum* 729; *galbeum* 729; *globuliferum* 158, 345, 729; *lateritium* 159, 729; *leucopus* 729; *Listeri* 159, 345, 729; *luteolum* 729; *melleum* 159, 729; *murinum* 345, 729; *notabile* 729; *nutans* 729; *nutans leucophaeum* 729; *oblatum* 158, 729; *penetrans* 337, 729; *psittacinum* 337, 729; *pulcherrimum* 346, 729; *pulcherripes* 729; *pusillum* 729; *roseum* 346; *rubiginosum* 337, 729; *serpula* 159, 347; *sessile* 346, 347, 729; *sinuosum* 159, 729; *sulphureum* 346, 347, 729; *sulphureum sessile* 347; *tenerum* 729; *testaceum* 347; *variabile* 346; *variabile sessile* 346; *virescens* 729; *viride* 158, 347, 729; *viride aurantium* 729; *Wingatense* 729
Phytophthora 124, 126, 127; *cactorum* 125, 126; *Cinnamomi* 126; *Faberi* 126, 127; *palmivora* 124, 126
Pilacreia faginea 732

- Pilobolus* 423; *umbonatus* 423, 424, 729
Pistillaria clavulata 733
Placosphaeria 537, 538; *Lupini* 538; **Medicaginis** 538, 539, 543; **shastensis** 46, 52
Plasmodium *Viburni* 729
Platyglœa 510, 736; *Grandinia* 511, 518
Pleosphaerulina intermixta 101
Pleospora 421, 619; *permuda* 47; *scirpicola* 619
Pleurage anserina 118, 122
Pleurotus applicatus 735; *ostreatus* 735
Plicariella murina 730
Plowrightia ribesia 619, 623
Pluteolus 502
Pluteus admirabilis 735; *cervinus* 736; *granularis* 736; *leoninus* 736; *longistriatus* 736; *nanus* 736; *tomentosulus* 736
Podaxis 504; *egyptiaca* 504, 505; *pistillaris* 504, 505
Podophacidium 352; *terrestre* 350, 352; **xanthomelum** 351, 352, 730
Podosphaeria Oxyacanthae 731
Polyporoletus 705, 706; *sublividus* 698
Polyporus 161, 466-468, 470, 472, 630; *abietinus* 643, 652, 734; *abortivus* 476, 478; *acanthoides* 474, 475, 479; *adustus* 637, 734; *albellus* 734; *albidus* 470; *alligatus* 471; *amarus* 634, 645; *amplectens* 431; *Ballouii* 480; *balsameus* 645, 734; *betulinus* 646, 652, 734; *biennis* 466-475, 479, 481-483; *biennis Ballouii* 480-482; *biennis distortus* 476, 480-482; *biennis rufescens* 473, 475; *biennis Sowerbei* 471, 472-476, 479, 482, 483; *biennis tropicalis* 481, 482; *brumalis* 734; *caesius* 470, 734; *cinnabarinus* 646, 652, 734; *cinnamomeus* 734; *circinatus* 734; *conchifer* 633, 635, 647; *cristatus* 734; *croceus* 647; *delectans* 647, 652; *distortus* 476, 478, 479; *dryophilus* 648, 652; *dryophilus vulpinus* 648; *elegans* 734; *fibrillosus* 648, 652; *focicola* 734; *fomentarius* 418; *fomentarius excavatus* 419; *fomentarius pomaceus* 419; *fruticum* 431, 432; *fumidiceps* 734; *galactinus* 734; *glomeratus* 161-163, 165-168, 606-611, 734; *guttulatus* 649, 734; *heteroporus* 468, 470, 479; *hirsutus* 734; *hirtus* 734; *ludovicianus* 649, 651; *nidulans* 734; *pargamensis* 637, 734; *perennis* 473, 475, 476, 734; *picipes* 734; *pinsitus* 633, 649, 651; *planellus* 734; *pubescens* 734; *resinosus* 734; *resinosus benzoinus* 734; *rufescens* 469, 472, 474, 477-479, 481; *rufescens Ballouii* 480, 481; *rufescens hexagonoides* 476, 479; *Schweinitzii* 650, 652, 734; *semipileatus* 734; *semisupinus* 734; *Spraguei* 650, 652; *tephroleucus* 734; *texanus* 651; *tomentosus* 475; *tropicalis* 481; *Tulipiferae* 734; *versicolor* 637, 734; *Weberianus* 432; *xanthosporus* 161
Poria 162, 168, 466, 606; *Andersonii* 161-163, 165-168, 606; *candidissima* 734; *corticola* 734; *ferrea* 734; *ferruginosa* 734; *fimbriata* 734; *Leei* 162; *lenis* 734; *medulla-panis* 734; *nigrescens* 734; *obliqua* 162, 606; *prunicola* 734; *punctata* 734; *rufa* 734; *selecta* 734; *spissa* 734; *subacida* 734; *xanthospora* 161
Porphyrillus 703, 706
Posadasia 193, 216; *capsulata* 193, 195, 215, 216; *pyriformis* 193, 195, 215, 216
Propolis faginea 730, 732
Prospodium 171; *appendiculatum* 425
Protograndinia 513; *cinerea* 511
Protomyces 329; *xylogenus* 329
Protophallus 26, 27, 30; **brunneus** 28, 29, 31, 32; *jamaicensis* 26-29, 32
Protubera 30; *africana* 22, 23; *Maracuja* 23
Psalliota 502; *abruptibulba* 736; *comtula* 736; *diminutiva* 736
Psathyra 250, 502, 546, 551; *conopilea* 554; *corrugis* 736; *microsperma* 544-548, 550, 557; *multipectata* 544-548, 550, 551, 553, 557; *stipitissima* 544, 550; *umbonata* 545, 551, 552, 557; *urticaecola* 257
Psathyrella 551, 557; *disseminata* 257; *gracillima* 549, 550, 552, 554, 557; *graciloides* 549, 552, 557; *subatrata* 544, 552-554
Pseudocoprinus 502
Pseudohelotium ilicinolum 95
Pseudopeziza 456
Psilocybe 502, 551
Puccinia Andropogonis Xanthoxyli 425; *Bignoniacearum* 171; *Circaeae* 732; *Cooperiae* 426; *extensicola* 732; *Heucherae* 732;

- incallida** 169, 172, 174; **paraensis** 169; **Polygoni-amphibii** Tovar-
rae 427; **porphyrogenita** 732;
Raunkaerii 427; **subtegulanea**
169, 170, 174; **Thelypodii** 170,
172, 174; **Violae** 732
Pucciniastrum Agrimoniae 732;
Epilobii 732
Pucciniola 173; **Urbaniana** 173
Pycnochytrium 442
Pycnopeziza 116
Pycnoporus 483
Pyrenophora 619
Pyronema confluens 87
Pythiomorpha gonapodyoides 729
Pythium 124-126, 128, 376, 386,
388, 527, 530; **arrhenomanes**
125, 127; **Butleri** 125; **complex-**
tens 125; **myriotylum** 125; **toru-**
losum 125; **ultimum** 394
Ramularia 44, 46; **albowiana** 44;
brevipes 44; **Delphinii** 43, 44;
Oxalidis 736; **Senecionis** 44;
Senecionis carniolica 44, 52;
Sheldoni 44
Ravenelia 33, 35, 38; **Dysocarpae**
670; **Humphreyana** 427; **Ingae**
33-36, 41, 42; **Siliquae** 428;
Whetzelii 35-38, 40
Rhabdospora Chlorogali 50
Rhinosporidium 193, 195
Rhizoctonia 207
Rhizophidium 286, 287
Rhizopogon 6, 7; **atlanticus** 4; **exi-**
guus 2, 31; **parasiticus** 2; **roseo-**
lus 2-4; **roseus** 2; **rubescens** 3;
rubescens Vittadini 3; **separa-**
bilis 3, 31; **Thaxteri** 4, 31; **Vit-**
tadini 3, 6
Rhizopus 155
Rhopalogaster 29; **transversarius**
29
Rhytidhysterium 113, 123
Rhytisma acerinum 732; **Andro-**
medae 732; **Ilicis-canadensis**
732; **salicina** 732; **Vaccinii** 732
Robillarda Agrostidis 47, 52
Rosellinia mammiformis 731; **pul-**
veracea 731
Russula 490, 494, 497; **admirabilis**
492, 494, 498; **aeruginea** 736;
amygdaloides 493, 736; **astrin-**
gens 492, 496-498; **aurora** 493;
Ballouii 491, 497, 498; **Beardslei**
490, 491, 493, 498; **blanda** 491,
498; **chamaeleontina** 493; **com-**
pacta 736; **consobrina** 736; **co-**
rallina 491, 498; **decolorans** 736;
decolorans rubriceps 736; **eme-**
tica 736; **farinipes** 497; **flava**
736; **flocculosa** 491, 498; **foetens**
325, 494, 736; **foetentula** 736;
fragilis 736; **heterospora** 490,
492; **insignis** 497; **insignita** 491,
497, 498; **lilacipes** 325, 326; **lutea**
armeniaca 493; **nigricans** 736;
pectinatoides 736; **purpurina**
736; **rosea** 493; **sericeo-nitens**
736; **sordida** 736; **squalida** 736;
variata 736; **ventricosipes** 327,
491, 494, 495, 498
Ryparobius crustaceus 730; **mo-**
nascus 730; **sexdecimsporus** 730
Saccoblastia 508
Saccobolus depauperatus 730;
Kerverni 730
Saprolegnia 311, 313, 314, 318, 320;
ferax 311, 315, 316, 321; **litoralis**
729; **mixta** 311; **monoica** 311;
parasitica 311, 314-319; **terres-**
tris 387
Sarcosoma 506
Schizophyllum commune 736
Sclerocystis 239; **coccogena** 239-
241, 249; **Dussii** 240; **pubescens**
239
Scleroderma 624; **aurantium** 736;
bermudense 624-626; **Geaster**
624
Sclerotinia 485, 487; **convoluta**
485, 487; **Geranii** 487; **Glabrioli**
118, 123; **polyblastis** 487, 489;
Porri 485; **Ricini** 485
Scoleconectria balsamea 731; **sco-**
lecospora 731
Sebacina 508, 510; **caesio-cinerea**
732; **Eyrei** 732; **incrustans** 732;
sublilacina 732
Secotium diminutivum 30-32
Sepedonium 192, 195, 203, 206,
209, 211, 212, 215; **cervinum** 736;
chrysospermum 196, 203-210,
214; **xylogenum** 196, 204, 206,
207, 210, 214, 215
Septobasidium 368, 508, 736
Septonema 364, 365; **episphaeri-**
cum 736; **toruloideum** 365
Septoria 50; **canadensis** 736; **Chlo-**
rogali 50; **margaritacea** 50, 52
Sistotrema 466; **biennis** 468, 477;
cinereum 466; **confluens** 466;
rufescens 469, 471, 472, 474;
rufescens bienne 468, 474
Skierka 175-179, 181, 183-186,
189, 190; **Agallochoa** 175, 188;
Canarii 175, 176, 180-182, 186,
190; **congonensis** 175, 176, 180,
181, 186, 190; **cristata** 181, 182,
185, 186, 190; **Diploglottidis**
184, 185, 190; **Holwayi** 175-178,
185, 186, 190; **Petchii** 185, 186,

- 190; **philippinensis** 180–182, 186, 190; **robusta** 175, 188
Solenia anomala 695, 734; **candida** 734
Sordaria anserina 731; **appendiculata** 731; **araneosa** 731; **barbata** 731; **carbonaria** 731; **cervina** 731; **curvicolla** 731; **curvula** 731; **decipiens** 731; **dubia** 731; **fimicola** 731; **fimiseda** 731; **glutinans** 731; **leporina** 731; **macrospora** 731; **minima** 731; **minuta** 731; **perplexens** 731; **pleiospora** 731; **setosa** 731; **tetraspora** 731; **vestita** 731; **zygospora** 731
Sorosporium 583; *Arundinellae* 584; **Cantonensis** 584; *Chamaeraphis* 584; *geminellum* 585; *reilianum* 578; *trichophorum* 583; **Yoshinagae** 589
Spathularia clavata 730; **inflata** 433; **velutipes** 730
Sphacelotheca 581, 583, 585; **bi-cornis** 578; **borealis** 577, 585; **Botriochloae** 587; **columellifera** 580, 581, 584; **cruenta** 578; **culmiperda** 578; **Digitariae** 586; **Hainanae** 585; **Hydropiperis** 732; **MacAlpineae** 583; **nankinensis** 587; **Papuae** 588; *Schweinfurthiana* 587, 588; **transfissa** 582; **Viegasiana** 588; **Yenii** 584
Sphaerella 260, 266; **bolleana** 260; **fraxinicola** 260, 264
Sphaeria 323, 330, 619; **conferta** 322–325; **confertula** 322; **ellipso-carpa** 619; **euomphala** 323, 324; **fraxinicola** 260, 264 *Gleditschiae* 329–332; *Gleditsiae* 330; **herbarum** 619, 620; **inquinans** 619; **lanata** 619, 620; **Scirpi** 619, 620
Sphaerobolus stellatus 736
Sphaeronaemella fimicola 736; **glomerulosporum** 736
Sphaeropsis 329–332, 541, 542; **malorum** 332, 333
Sphaerosoma 499; **echinulatum** 499
Sphaerosporium 327–329; **lignatile** 327, 328; **vaporarium** 328
Sphenospora 178
Spirechina 178
Sporidesmium 355, 356, 365
Sporormia 620; **ambigua** 731; **bi-partis** 619, 731; **intermedia** 619, 731; **leporina** 620, 731; **longi-spota** 731; **minima** 731; **musko-kensis** 731; **obliqueiseta** 731; **oc-tomera** 731; **splendens** 731
Sporormiella 620
Stemonitis axifera 157, 158; **axifera Smithii** 729; **fusca** 729; **splendens** 158, 348, 349; **trechispora** 729; **uvifera** 348
Stemphylium 47
Stephanoma 211, 212; **tetracoccum** 196, 204, 207–209, 212, 214, 216
Stereum 510; **fasciatum** 733; **flabellatum** 244, 246, 249; **Murrayi** 733; **roseo-carneum** 733; **rufum** 733; **sanguinolentum** 733
Sterigmatocystis nidulans 656, 669; **unguis** 667, 669
Stevensia 97, 101–103; **Wrightii** 97, 98, 105, 107, 108
Stictochorella 538
Stilbum 228
Stomatogone 102
Strobilomyces 705, 706; **strobilaceus** 699, 734
Stropharia 502, 556, 557; **annela-reiformis** 555, 557
Stylopaga 389, 391, 411; **araea** 388, 394, 396, 398, 400, 413; **cephalote** 389; **hadra** 396, 406; **leiohypha** 396, 406; **rhabdospora** 389; **rhynchospora** 394–396, 398, 412; **scoliospora** 390, 391, 394, 412
Stypella 243
Synchytrium 442; **aureum** 729
Taphrina 56, 59, 61, 62, 64, 66–69, 73, 74, 445, 449, 451, 453, 454, 502; **Alni-incanae** 57, 61; **alni-torqua** 57; **amentorum** 57–61, 74; **amplians** 447, 450, 451, 453, 454; **Atkinsonii** 60, 65, 66, 74, 75; **aurea** 451; **Betulae** 445; **caerulea** 445; **californica** 445–448, 453; **carnea** 445; **Carveri** 502; **communis** 60, 70–73, 75; **confusa** 60, 65, 68, 69, 71, 74, 75; **Dearnessii** 502; **deformans** 445; **Farlowii** 60, 65–69, 71, 75; **filicina** 447; **flava** 451; **flavovrubra** 60, 70, 72, 74, 75; **laurencia** 445, 447–451, 453, 454; **linearis** 452, 453; **lutescens** 450; **maculans** 445, 447, 452–454; **media** 60, 64, 74; **occidentalis** 60, 62, 64, 74; **rhomboidalis** 447, 449, 453, 454; **Robinsoniana** 57–60, 62, 63, 74, 75, 732; **rugosa** 60–62, 65, 74, 75; **Thaxteri** 451–454; **Tonduziana** 447, 450, 452–454; **Tosquinetii** 57, 58
Taphrinopsis 453
Tapinella corrugatus 696; **panuoides** 696
Thecotheus Pelletieri 730
Thelephora 515; **bombycina** 300; **intybacea** 733; **multipartita** 733; **olivacea** 300; **palmata** 733; **sera** 300; **terrestris** 733

7
7H 5/24

- Tilletia oklahomae* 586; rugispora 578
Tolyposporium Cenchr. 578
Tomentella 297, 298, 305, 306; ferruginea 306
Trametes 630; heteromorpha 734; mollis 734; Pini 475
Trematosphaeria confertula 323, 324
Tremella 246, 736; foliacea succinea 732; frondosa 732
Tremelloidendron candidum 732; merismatoides 732; pallidum 732
Tremellodon gelatinosum 732
Trichamphora pezizoidea 349
Trichia Botrytis 729; contorta 729; contorta inconspicua 729; decipiens 729; erecta 337, 729; favoginea 729; lutescens 158; persimilis 158, 729; scabra 158, 729; subfusca 338, 729
Trichoderma lignorum 736
Trichoglossum hirsutum 730; velutipes 730
Tricholoma albiflavum 736; sejunctum 736
Trichophyton gypseum 83-85, 91, 524, 526; mentagrophytes 521-523, 525, 526; rubrum 83
Trichopsora 375
Trogia crista 736
Truncocolumella 6; citrina 6, 30, 31; rubra 7, 31
Tryblidaria 123
Tryblidiella 93, 95, 113, 116, 118, 120, 122, 123; fusca 113-122; leprieuri 118; nigrocinnabarina 122; rufula 95, 113-122
Tryblidiopsis 123
Tryblidium 113, 123; fuscum 115; rufulum 123; rufulum fuscum 113
Tubaria 502; inquilina 736
Tubifera Casparyi 729; ferruginosa 729
Tulasnella 242, 243, 299; pruinosa 732; *sphaerospora* 242, 244, 249; violacea 242
Tylochytrium 287
Tylopilus 693; indecicus 112
Tympanis alnea 730; fasciculata 730; Pinastri 730; populina 730; saligna 730
Tympanopsis 325
Unguiculariopsis 93; ilicincola 95
Uredinopsis 178; macrosperma 732; mirabilis 732; Osmundae 732
Uredo cristata 175, 182, 186; cumula 428; excipulata 35, 37-40; Ingae 34-42; Toddaliae 188
Urnula 350; Geaster 367, 504; terrestris 350, 352
Urocystis Anemones 577; occulta 586
Uromyces 38, 173, 178, 183; agnatus 428-430; Caladii 590, 593, 595, 598, 601-605; Cestri 430; circumscriptus 174; cristata 183; Cupaniae 182, 183; *dilucidus* 172-174; *Diploglottidis* 184; euphlebius 173; *evastigatus* 172, 173, 174; Indigoferae 431; Ingae 40; ingicola 34, 35, 37, 38, 40; Junci 732; Loranthei 174; ornatiipes 173; Phtirusae 174; Pisi 603; porcensis 35, 37, 38; punctatus 431; socius 173; Sparganii 431; Urbanianus 173, 174
Uropyxis 171; *reticulata* 171, 172, 174; Rickiana 172
Ustilago Avenae 578; bromivora 579; Carbo 572, 580, 581; Carbo columellifera 579, 580, 582, 583; Carbo columellifera transfixa 579-583; Carbo columellifera trichophora 579-582; Carbo Cynodontis 572; chloridicola 586; columellifera 583; Cynodontis 572-575, 584; Dregeana 572-574; gregaria 578; Hordei 577; minima 579; paraguayensis 574, 575; Penniseti 580; Rabenhorstiana 579; Schroeteriana 578; segetum 580; segetum Cynodontis 572; striaeformis 586; *Thaxteri* 579; tonglinensis 585; Tritici 250, 578; utriculosa 586; Zeae 578
Ustilina vulgaris 731
Valsa Abietis 731; Gleditschiae 331; nivea 731
Valsaria 331, 332; Gleditschiae 330; insitiva 332
Varicosporium Elodeae 736
Veluticeps 247
Venturia inaequalis 619
Verticillium 209, 406
Woronina glomerata 442
Xanthochrous 475; perennis 475
Xanthoporia 161
Xylaria castorea 732; corniformis 732; filiformis 732; longipes 732; polymorpha 732
Xylosorium 576; *Piperii* 576, 577
Zoopage atractospora 393; cladosporma 393; mitospora 136, 394; nematospora 391; phanera 392; planera 143; tryphera 404

